

# HARDWARE-KOMPATIBILITÄTSLISTE

Stand: 10.09.2025

| Hersteller          | Modell                 | AC / DC | Operations Basic | Operations Advanced | Operations Premium | Eichrecht | Min. FW Version                                | LOCI* |
|---------------------|------------------------|---------|------------------|---------------------|--------------------|-----------|------------------------------------------------|-------|
| ABB                 | Terra 53/54 CJG        | DC      | ✓                |                     |                    |           |                                                |       |
|                     | Terra 53/54 GJC HV     | DC      | ✓                |                     |                    |           |                                                |       |
|                     | HPC                    | DC      | ✓                |                     |                    |           |                                                |       |
|                     | Terra AC Wallbox       | AC      | ✓                |                     |                    | ✓         | V1.6.9                                         |       |
|                     | Terra184               | DC      | ✓                |                     |                    |           |                                                |       |
| ABL                 | eMH3                   | AC      | ✓                |                     |                    |           |                                                |       |
|                     | eMC2                   | AC      | ✓                |                     |                    |           |                                                |       |
| Ads-Tec Energy GmbH | ChargePost             | DC      | ✓                |                     |                    | ✓         | 1.6.1                                          |       |
| AgeVolt             | AC WB Double           | AC      | ✓                |                     |                    |           |                                                |       |
| Alfen               | Eve Single Pro-line DE | AC      | ✓                |                     |                    | ✓         | 5.8                                            |       |
|                     | Eve Double Pro-line DE | AC      | ✓                |                     |                    | ✓         | 5.8                                            |       |
|                     | Eve Double Pro-line    | AC      | ✓                |                     |                    | ✓         | 5.8                                            |       |
|                     | Eve Double PG-Line     | AC      | ✓                |                     |                    | ✓         | 5.8                                            |       |
|                     | Twin 5 Plus            | AC      | ✓                |                     |                    |           | 2.1.0                                          |       |
| Alpitronic          | HYC50                  | DC      | ✓                | ✓                   | ✓                  | ✓         | 1.8.0                                          | ✓     |
|                     | HYC150, HYC300         | DC      | ✓                | ✓                   | ✓                  | ✓         | 1.8.0                                          | ✓     |
|                     | HYC200, HYC400         | DC      | ✓                | ✓                   | ✓                  | ✓         | 1.8.0                                          | ✓     |
| Autel               | Maxi Charger DC Fast   | DC      | ✓                |                     |                    |           | V.1.23.81                                      |       |
|                     | DH480                  | DC      | ✓                |                     |                    | ✓         | PFD0004<br>V1.01.43 V1.01.43 V1.00.29 V3.01.65 |       |
| Bals                | smarter Elektrant      | AC      | ✓                |                     |                    |           |                                                |       |
| Benning             | BELATRON T2            | AC      | ✓                |                     |                    | ✓         |                                                |       |
| Compleo             | Solo                   | AC      | ✓                |                     |                    | ✓         |                                                |       |
|                     | Advanced 22            | AC      | ✓                |                     |                    | ✓         |                                                |       |
|                     | Cito                   | DC      | ✓                |                     |                    | ✓         |                                                |       |

# HARDWARE-KOMPATIBILITÄTSLISTE

Stand: 10.09.2025

| Hersteller    | Modell                                | AC / DC | Operations Basic | Operations Advanced | Operations Premium | Eichrecht | Min. FW Version    | LOCI* |
|---------------|---------------------------------------|---------|------------------|---------------------|--------------------|-----------|--------------------|-------|
|               | Duo                                   | AC      | ✓                |                     |                    | ✓         |                    |       |
| Delta         | Ultra Fast Charger UFC 150 (50-150kW) | DC      | ✓                |                     |                    |           |                    |       |
|               | UFC 200                               | DC      | ✓                |                     |                    |           |                    |       |
| Eaton         | Green Motion Building                 | AC      | ✓                |                     |                    | ✓         | 1808               |       |
| Ebee          | Berlin                                | AC      | ✓                |                     |                    |           |                    |       |
| Ekoenergetyka | Axon Easy 180                         | DC      | ✓                |                     |                    | ✓         | Ieko 0.35.0-rc2-r0 |       |
|               | Axon Easy 400                         | DC      | ✓                |                     |                    | ✓         | Ieko 0.35.0-rc2-r0 |       |
|               | Axon Side 360 DLBS                    | DC      | ✓                |                     |                    | ✓         | Ieko 0.35.0-rc2-r0 |       |
|               | Axon Side 400                         | DC      | ✓                |                     |                    | ✓         | Ieko 0.35.0-rc2-r0 |       |
|               | SAT 400                               | DC      | ✓                |                     |                    | ✓         | Ieko 0.35.0-rc2-r0 |       |
|               | SAT 600                               | DC      | ✓                |                     |                    | ✓         | Ieko 0.35.0-rc2-r0 |       |
| Enelion       | Lumina                                | AC      | ✓                |                     |                    |           | 2.5.0              |       |
|               | Wallbox                               | AC      | ✓                |                     |                    |           | 2.5.0              |       |
|               | Vertica                               | AC      | ✓                |                     |                    |           | 2.5.0              |       |
|               | Stilo                                 | AC      | ✓                |                     |                    |           | 2.5.0              |       |
| EnerCharge    | DC HPC                                | DC      | ✓                |                     |                    |           |                    |       |
| Ensto         | EVB200-B4Bs (AC Dualbox)              | AC      | ✓                |                     |                    |           |                    |       |
| Inchanet      | Box                                   | AC      | ✓                |                     |                    |           |                    |       |
| KEBA          | P30 x-series                          | AC      | ✓                | ✓                   | ✓                  | ✓         | 1.19.x             | ✓     |
|               | P30 c-series                          | AC      | ✓                | ✓                   | ✓                  |           |                    | ✓     |
|               | M20 Lademanagementcontroller          | AC      | ✓                | ✓                   | ✓                  | ✓         | 1.19.x             | ✓     |
|               | KeContact DCA10 Autonomous Charger    | DC      | ✓                |                     |                    | ✓         | 1.1.5.1            |       |
|               | KeContact DCS10 Satellite Charger     | DC      | ✓                |                     |                    | ✓         | 1.1.5.1            |       |
|               | KeContact DCL10 Pillar                | DC      | ✓                |                     |                    | ✓         | 1.1.5.1            |       |

# HARDWARE-KOMPATIBILITÄTSLISTE

Stand: 10.09.2025

| Hersteller         | Modell                         | AC / DC | Operations Basic | Operations Advanced | Operations Premium | Eichrecht | Min. FW Version | LOCI* |
|--------------------|--------------------------------|---------|------------------|---------------------|--------------------|-----------|-----------------|-------|
|                    | KeContact DCU10 Power Unit     | DC      | ✓                |                     |                    | ✓         | 1.1.5.1         |       |
|                    | KeContact DCW15 Public Wallbox | DC      | ✓                |                     |                    | ✓         | 1.1.5.1         |       |
| Kempower           | C500 Power Unit & Satellite    | DC      | ✓                |                     |                    | ✓         | 3.4.2           |       |
|                    | C800 Power Unit & Satellite    | DC      | ✓                |                     |                    | ✓         | 3.4.2           |       |
| Kostad             | UNITY60                        | DC      | ✓                |                     |                    |           | 0.8.3           |       |
|                    | UNITY90                        | DC      | ✓                |                     |                    |           | 0.8.3           |       |
|                    | UNITY120                       | DC      | ✓                |                     |                    |           | 0.8.3           |       |
|                    | UNITY360                       | DC      | ✓                |                     |                    |           | 0.8.3           |       |
| Kreisel Electric   | Chimero                        | DC      | ✓                |                     |                    | ✓         | 2.6.1           |       |
| Mennekes           | Amtron Professional +          | AC      | ✓                |                     |                    | ✓         |                 | ✓     |
|                    | Amedio Professional 22 +       | AC      | ✓                |                     |                    | ✓         |                 |       |
|                    | Ladesäule Smart T              | AC      | ✓                |                     |                    | ✓         |                 |       |
|                    | Ladesäule Smart 22             | AC      | ✓                |                     |                    | ✓         |                 |       |
|                    | Amedio                         | AC      | ✓                |                     |                    | ✓         |                 |       |
| MyBox              | Profi                          | AC      | ✓                |                     |                    |           |                 |       |
| PC Electric (Garo) | Garo LS4 2x22 kW               | AC      | ✓                |                     |                    |           |                 |       |
|                    | GLB+                           | AC      | ✓                |                     |                    |           |                 |       |
|                    | Ladesäule LS4 22 kW EKR        | AC      | ✓                |                     |                    | ✓         | 5.23.0-13814    |       |
|                    | PCE TWINBOX GTB+ 2x22kW ERK    | AC      | ✓                |                     |                    | ✓         | 5.23.0-13814    |       |
| Photon             | Elektrant smart ID             | AC      | ✓                |                     |                    |           |                 |       |
| Schneider Electric | Evlink Pro AC                  | AC      | ✓                |                     |                    | ✓         | 1.4.1           |       |
|                    | Evlink Pro AC                  | AC      | ✓                |                     |                    | ✓         | 1.2.1           |       |
| Silver Atena       | Ionix                          | DC      | ✓                |                     |                    | ✓         | 5.3.7-18777     |       |
| Schrack            | i-Charge CION                  | AC      | ✓                |                     |                    |           | 5.20            |       |

# HARDWARE-KOMPATIBILITÄTSLISTE

Stand: 10.09.2025

| Hersteller         | Modell                    | AC / DC | Operations Basic | Operations Advanced | Operations Premium | Eichrecht | Min. FW Version | LOCI* |
|--------------------|---------------------------|---------|------------------|---------------------|--------------------|-----------|-----------------|-------|
| Schneider Electric | EVF2S22P22R - Parkplatz 2 | AC      | ✓                |                     |                    |           |                 |       |
| Siemens            | SICHARGE-D                | DC      | ✓                | ✓                   |                    | ✓         | 2.11            |       |
|                    | UNITY60                   | DC      | ✓                |                     |                    |           | 0.8.3           |       |
|                    | UNITY90                   | DC      | ✓                |                     |                    |           | 0.8.3           |       |
|                    | UNITY120                  | DC      | ✓                |                     |                    |           | 0.8.3           |       |
|                    | UNITY360                  | DC      | ✓                |                     |                    |           | 0.8.3           |       |
|                    | CPC20                     | DC      | ✓                |                     |                    |           |                 |       |
|                    | CPC50                     | DC      | ✓                |                     |                    |           |                 |       |
|                    | CPC150                    | DC      | ✓                |                     |                    |           |                 |       |
|                    | CP500                     | DC      | ✓                |                     |                    |           |                 |       |
|                    | UNITY20                   | DC      | ✓                |                     |                    |           |                 |       |
|                    |                           |         |                  |                     |                    |           |                 |       |
| Smight             | Base Tower                | AC      | ✓                |                     |                    |           |                 |       |
|                    | LIS 3.0                   | AC      | ✓                |                     |                    |           |                 |       |
|                    | LIS 3.2                   | AC      | ✓                |                     |                    |           |                 |       |
|                    | LS 4.0                    | AC      | ✓                |                     |                    |           |                 |       |
| Sungrow            | IDC30R                    | DC      | ✓                |                     |                    | ✓         | 2.5.8           |       |
|                    | IDC180E                   | DC      | ✓                |                     |                    |           | 2.5.8           |       |
| Voltdrive          | Silentium WDS             | AC      | ✓                |                     |                    |           |                 |       |
|                    | Silentium WSS             | AC      | ✓                |                     |                    |           |                 |       |
|                    | Silentium P               | AC      | ✓                |                     |                    |           |                 |       |
| XCHARGE EUROPE     | C6                        | DC      | ✓                |                     |                    | ✓         | V2.1.26         |       |
|                    | C7                        | DC      | ✓                |                     |                    | ✓         | V2.1.26         |       |
|                    | C8 (NetZero)              | DC      | ✓                |                     |                    |           | V2.1.26         |       |

# HARDWARE-KOMPATIBILITÄTSLISTE

Stand: 10.09.2025

\*Mit LOCI kompatible Energy Meter

| Hersteller    | Modell      |
|---------------|-------------|
| Carlo Gavazzi | EM24        |
| Janitza       | UMG 604 Pro |
|               | UMG96RM-E   |
| PQ Plus       | UMD96 EL    |
| TQ Systems    | EM420       |